

SECTION 1: Identification

1.1 Product identifier

RD 6106 White Rutile TiO2

1.2 Other means of identification

Pigment Dispersion

1.3 Recommended use of the chemical and restrictions on use

Paint and Coatings

1.4 Supplier's details

Name PPI Tech Inc

Address 2700 Cumberland St Ste 5

Lebanon, PA 17402

Telephone (717) 847-7604

1.5

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

Physical Hazards

Health Hazards Reproductive toxicity, Cat. 2.

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H361 Suspected of damaging fertility or the unborn child.

Precautionary statement(s): Prevention

P201 Obtain special instructions before use.

P260 Do not breathe dust/fumes/gas/mist/ vapors/spray.

P284 Wear respiratory protection.



Precautionary Statements: Response

Precautionary Statements: Storage

Precautionary Statements: Disposal

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable.

3.2 Mixtures

Component	CAS	Concentration
Titanium Dioxide	13463-67-7	55 - 65% (weight)
Non-Hazardous Vehicle	N/A	30 - 40% (weight)
High Molecular Polyester	N/A	1 – 5% (weight)
Trimethylolpropane	77-99-6	0.1 – 1% (weight)

Trade secret statement (OSHA 1910.1200(i))

SECTION 4: First-aid measures

4.1 Description of symptoms/effects, acute and delayed

General advice Do not leave victim unattended.

If inhaled Move to fresh air. In unconscious, place in recovery position and seek

medical advice. If symptoms persist, call a physician.

In case of skin contact Wash off with warm water and soap. Remove contaminated clothing.

In case of eye contact Immediately flush with plenty of water for at least 20 minutes. Get medical

aid.

If swallowed Do not induce vomiting. Dilute with 1-2 glasses of water. Never give anything

by mouth to an unconscious person. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious

person. If symptoms persist, call a physician.

Most important symptoms No information available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Dry chemical, dry chemical powder, carbon dioxide, alcohol-resistant foam, sand, and fog. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

^{*}The specific chemical identities and/or actual concentrations or actual concentration ranges for one or more listed components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).



5.3 Specific hazards arising from the chemical

Will not explode on mechanical impact. Cool closed containers exposed to fire with water spray. Keep away from heat and sources of ignition. Keep away from oxidizing agents Handle as an industrial chemical. Keep dust to a minimum to avoid potential formation of explosive air/dust mixture.

5.4 Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors, carbon monoxide, carbon dioxide, nitrogen oxides and ammonia.

5.5 Firefighting Instructions

Water used to extinguish fire should not enter drainage systems, soil or stretches of water. Ensure there are sufficient retaining facilities for water used to extinguish fire. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.6 Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid pressure washing or generation of aerosols. Material can create slippery conditions. Wear protective equipment: goggles, chemically resistant clothing and gloves, and appropriate respirator if in a confined area. Avoid dust formation.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent spilled material from entering the ground, water and/or air by using appropriate containment methods. Obey relevant local, state, provincial and federal laws and regulations.

6.3 Methods and materials for containment and cleaning up

Dam up. Soak up with inert absorbent materials. Use dry spill kit material or sand, collect in appropriate containers. Do disposal information see section 13. Clean contaminated surface thoroughly.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure adequate ventilation. Do not pressure to empty drums. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Handle as an industrial chemical. Handle in accordance with good industrial hygiene and safety practice. If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used. If the workplace threshold limit value is exceeded and/or the substance is released, use appropriate respiratory protection. When using do not eat, drink or smoke. Wash face, and/or hands before break and end of work. To ensure ideal skin protection use superfatted soaps and skin cream for skin care. Wash contaminated clothing before reuse. Smoking, eating and drinking should be prohibited in the application area.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a dry, cool, sheltered and well-ventilated place. Keep product and empty container away from heat and sources of ignition. Take measures to prevent the buildup of electrostatic charge. Keep away from oxidizing agents.



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	Value Type	Control Parameters / Basis
Titanium Dioxide (CAS no.: 13463-67-7)	TWA	10 mg/m3 (ACGIH – TLV)
	TWA	15 mg/m3 / 8 hours – total dust (OSHA – PEL)

8.2 Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms







Eye/face protection

If exposed to airborne mist, or if splashing is possible, appropriate safety glasses with side-shields or safety goggles are recommended.

Skin protection

Oil resistant impervious gloves are recommended. Appropriate body protection should be selected based on activity and possible exposure. Also take into consideration that specific local conditions under which the product is used. A safety shower and eye wash fountain should be readily available.

Respiratory protection

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection. A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining suitability of various types of respirators.

Hygienic practices

Handle in accordance with good industrial hygiene and safety practice. Clean long-legged, long-sleeved work clothes. If splashing is possible, wear chemically resistant protective clothing. When using do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection use super fatted soaps and skin cream for skin care. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

This product is an untested mixture for which its chemical and physical properties are based on its individual components.

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) Liquid. White Odor Mild acrylic-like Odor threshold No information available No information available Melting point/freezing point No information available Initial boiling point/boiling range No information available Flash point No information available Auto-ignition temperature No information available Flammability (solid, gas) Not applicable to liquids Upper/lower flammability limits No information available Upper/lower explosive limits No information available Explosive properties No information available Oxidizing properties No information available



Vapor pressure Relative density Evaporation rate Vapor density Viscosity Specific gravity Density No information available No information available No information available No information available 60 – 80 KU 1.68 – 1.92 14.0 – 16.0 lbs/gal

0.01 lbs / gal

SECTION 10: Stability and reactivity

10.1 Reactivity

VOC

This substance is stable under normal use conditions. May react with strong oxidizing agents.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

10.4 Incompatible materials

Avoid contact with strong acids, strong bases and strong oxidizers.

10.5 Hazardous decomposition products

Thermal decomposition may lead to release of carbon monoxide, carbon dioxide, smoke and fumes.

10.6 Hazardous polymerization products

Polymerization is not expected to occur.

SECTION 11: Toxicological information

Toxicological information on this product or its components appear in this section when such data is available.

11.1 Information on toxicological effects

The toxicological information on this product appears in this section when such data is available.

Primary routes of entry

Skin contact, eye contact, and inhalation.

11.2 Acute toxicity estimates

Product	Route	Acute Toxicity Estimate Value
RD 6106 White Rutile TiO2	LD50 (oral)	> 5,000 mg/kg
	LD50 (dermal)	> 5,000 mg/kg

11.3 Acute toxicity

Components	Median Lethal dose	Control Parameters / Basis
Titanium Dioxide (CAS no.: 13463-67-7)	LD50 (oral, rat)	> 5,000 mg/kg
	LD50 (dermal, rabbit)	> 5,000 mg/kg
	LC50 (inhalation, rat)	> 6.8 mg/L

11.4 Skin corrosion/irritation

Prolonged or excessive contact with skin may result in mild irritation, however, significant health injuries are not expected under normal use.

11.5 Serious eye damage/irritation

May cause eye irritation.



11.6 Respiratory or skin sensitization

Health injuries are not known or expected under normal use.

11.7 Ingestion irritation

Health injuries are not known or expected under normal use. Over exposure may cause gastrointestinal disturbance. Ingestion will probably cause some irritation of the digestive tract.

11.8 Germ cell mutagenicity

Based on available data, the classification criteria are not met.

11.9 Carcinogenicity

The product is known to have components of which may cause cancer.

IARC: Titanium Dioxide (CAS no.: 13463-67-7) Group 2B: Possibly carcinogenic

to humans.

ACGIH: No component of this product present at levels greater than or equal to 0.1%

is identified as a known or anticipated carcinogen by the ACGIH.

OSHA: No component of this product present at levels greater than or equal to 0.1%

is identified as a known or anticipated carcinogen by OSHA.

NTP: No component of this product present at levels greater than or equal to 0.1%

is identified as a known or anticipated carcinogen by the NTP.

11.10 Reproductive toxicity

Suspected of damaging fertility or the unborn child.

11.11 STOT-single exposure

Based on available data, the classification criteria are not met.

11.12 STOT-repeated exposure

Based on available data, the classification criteria are not met.

11.13 Aspiration hazard

Based on available data, no known aspiration hazard.

SECTION 12: Ecological information

Ecological information on this product or its components appear in this section when such data is available.

12.1 Toxicity to fish

Component	Median Lethal Dose / Species	Control Parameters / Bases
Titanium Dioxide (CAS no.: 13463-67-7)	LC50 (Pimephales promelas)	> 1,000 mg/L / 96 hours
	LC50 (Cyprinodon varigatus)	> 1,000 mg/L / 96 hours
Trimethylolpropane (CAS no.: 77-99-6)	LC50 (Alburnus alburnus)	> 1,000 mg/L / 96 hours

12.2 Toxicity to aquatic invertebrates

Component	Median Lethal Dose / Species	Control Parameters / Bases
Titanium Dioxide (CAS no.: 13463-67-7)	LC50 (Daphnia magna)	> 1,000 mg/L
	LC50 (Acartia tonsa)	> 10,000 mg/L
Trimethylolpropane (CAS no.: 77-99-6)	EC50 (Daphnia magna)	> 13,000 mg/L / 48 hours
	NOEC (Daphnia magna)	> 1,000 mg/L / 21 days

12.3 Toxicity to algae/aquatic plants

Component	Median Lethal Dose / Species	Control Parameters / Bases
Titanium Dioxide (CAS no.: 13463-67-7)	EC50 (Pseudokirchnerella subcapitata)	> 100 mg/L / 72 hours
	EC50 (Skeletonema costatrum)	> 10,000 mg/L / 72 hours
Trimethylolpropane (CAS no.: 77-99-6)	EC50 (Pseudokirchnerella subcapitata)	> 1,000 mg/L / 72 hours



12.4 Persistence, degradability, bioaccumulation, accumulation mobility No information available.

SECTION 13: Disposal considerations

Waste disposal methods

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO THE BODY OF WATER. All disposal practices must be in accordance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN SDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed permitted incinerator or other thermal destruction device.

SECTION 14: Transport information

Domestic regulation

DOT (US)

UN/NA no.: Not Regulated

UN Proper Shipping Name: PAINT RELATED MATERIAL NON-HAZARDOUS

Class: Not Regulated Packing Group: Not Regulated

International regulation

IATA-DGR

UN/NA no.: Not Regulated

UN Proper Shipping Name: PAINT RELATED MATERIAL NON-HAZARDOUS

Class: Not Regulated Packing Group: Not Regulated

IMDG/IMO

UN/NA no.: Not Regulated

UN Proper Shipping Name: PAINT RELATED MATERIAL NON-HAZARDOUS

Class: Not Regulated Packing Group: Not Regulated

SECTION 15: Regulatory information

15.1 Federal Regulations

This product is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

15.2 CERCLA - SARA Hazards

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Reproductive toxicity.



15.3 Emergency Planning and Community Right-to-Know Act Section 313

Under Section 313 of the Emergency Planning and Community Right-to-Know Act, certain businesses are required to submit reports each year on the amounts of EPCRA section 313 chemicals their facilities released in to the environment (either routinely or as a result of accidents), or otherwise managed as waste. The purpose of this reporting requirement is to inform the public about the releases and other waste management of EPCRA section313 chemicals in their communities and to provide the government with information for research and the development of appropriate regulations. Chemical substances present in this product subject to this statute are:

None.

15.4 CERCLA Reportable Quantity

The Comprehensive Environmental Response, Compensation, and Liability Act of 1980 requires notification of the National Response Center concerning release of quantities of "Hazardous Substances" equal to or greater than the reportable quantities (RQs) listed in 40 CFR 302.4. As defined by CERCLA, the term "hazardous substance" does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically designated in 40 CFR 302.4. Chemical substances present in this product subject to this statute are:

None.

15.5 Emergency Planning and Community Right-To-Know Act (EPCRA) Section 302 Extremely Hazardous Substances

The presence of Extremely Hazardous Substances (EHSs) in quantities at or above the Threshold Planning Quantity (TPQ) requires certain emergency planning activities to be conducted. The chemical substances subject to this statute and their TPQ and RQ are:

None.

15.6 Clean Air Act Section 112(r)

The Clean Air Act (CAA) compliance monitoring is the primary federal law governing air pollution. EPA works with its federal, state and tribal regulatory partners to monitor and ensure compliance with clear air laws and regulations in order to protect human health and the environment. This product's components have been reviewed according to the CAA monitoring system under section 112(r). The chemical substances present in this product subject to this statute are:

None.

15.7 Toxic Substance and Control Act Inventory

The Toxic Substances and Control Act (TSCA) Chemical Substance Inventory contains all existing chemical substances manufactured, processed, or imported in the United States that do not qualify for an exemption or exclusion under the TSCA. The chemical substances present in the product that appear on the TSCA inventory include:

Titanium Dioxide (CAS no.: 13463-67-7)

Non-Hazardous Proprietary

High Molecular Polyester

Trimethylolpropane (CAS no.: 77-99-6)

Active

Active

15.8 Toxic Substance and Control Act Section 12(b) Export Notification Requirement

The Toxic Substances and Control Act (TSCA) section 12(b) requires any person who exports or intends to export a chemical substance or mixture that appears within section 12(b) "substances to be reported by notification name" to notify the Environmental Protection Agency (EPA) of such exportation. The chemicals within the mixture that appear within TSCA section 12(b) are:

None.



15.9 Other Regulatory Inventories

Country	Regulatory List	Notification
USA	TSCA	This product, or its components, are listed or exempt from the "Toxic Substance and Control Act Inventory (TSCA)."
Canada	DSL	This product, or its components, are listed or exempt from the "Canadian Domestic Substance List (DSL)."

15.10 California Proposition 65

▲ WARNING: This dispersion can expose you to chemicals including Titanium Dioxide (CAS no.: 13463-67-7) which is known to the State of California to cause cancer and/or genetic defects. For more information go to www.P65Warnings.ca.gov.

HMIS Rating

RD 6106 White Rutile Tio)2
HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

Date of issue: February 17, 2022.

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. All materials may present unknown hazards and should be used with caution. In no event shall we be held liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if we have been advised of the possibility of such damages.